

INDEX MAPS.

T. 35 N. R. 6 W. 2nd Mer.



T. 36 N. R. 6 W. 2nd Mer.



Meanders—201

☞ The figures on the lines refer to the page.

Township 36 North, Range 6 West, 2nd P.M. Ind.a

South Boundary.

Var. 5°.25' E.

West On South side of Sec. 36.
2.75 Leave marsh on an island of timber
3.72 To an aspen 7 in. dia.
13.50 To a Lake Set post from which
an Aspen 13 in. dia, bears S 62 ½ E 97 lks.
& a Do. 7 " " " N 3½ E 38 "
20.36 Over Lake Set post on a Dry knoll
a Y. Oak 16 in. dia. bears N 10 W 15 lks. dist.
& a W. Oak 15 " " " S 33 W 3 " "
26.14 To a Y. Oak 12 " " -
40.00 Set q.r Sec. post from which
a Y. Oak 14 in. dia. bears N 17 E 120 lks.
& a Do. 15 " " " N 74½ W 179 "
46.10 To a Brook 4 lks. wide run. N. in deep ravine
66.16 " " Hickory 8 in. dia.
70.50 Enter a marsh
78.00 Leave the Do.
80.00 Set post cor. Secs. 35 & 36 from which
a W. Oak 15 in. dia. bears N 63 E 79 lks. dist.
& a Do. 7 " " " N 50 W 30 " "
Land hilly barrens & 2nd rate soil.
Timber Hickory W. & Y. Oak &c

West On S. side of Sec. 35
24.78 a Y. Oak 14 in. dia. -
40.00 Set q.r Sec. post from which
a Y. Oak 16 in. dia. bears N 55 E 27 lks. dist.
& a " Do. 17 " " " N 38 W 11 " "
50.99 a W. Oak 16 " "
56.56 a Y. Oak 15 " "
80.00 Set post cor. Secs. 34 & 35 from which
a Y. Oak 25 in. dia. bears N 89 E 37 ½ lks.
& a Do. 23 " " " N 69 W 40 "
Land &c. similar, thinly timb. on W. 20 chs.

T. 36 N. R. 6 W. 3rd P. Mer. Bnd a.

West — On South side of Sec. 34
40.00 — Set g. Sec. cor. post from which
a G. Oak 16 in. dia. bears N 78½ E 120 lks.
& a Do. 14 " " " N 55 W 84 " dist.
41.27 — a W. Oak 10 " "
59.15 — " " Do. 16 " "
60.00 — Leave barrens & Enter low heavy timber,
73.50 — a Brook 5 lks. wide ex. N. Springy
80.00 — Set post cor. Secs. 33 & 34 from which
a B. ash 18 in. dia. bears N 38½ W 58 lks. dist,
& a Do. 15 " " " N 47 E 5 " "
East 60 chs. similar to last, thinly timb.
good soil, W. 20 chs. rich, low Springy
ash, Lynn, Elm, Oak &c —

West — On South side of Sec. 33,
5.00 — Leave heavy timber & Enter barrens
35.35 — To a Thorn tree 10 in. diam. to timb. land
36.30 — " Spring brook 3 lks. wide ex. N.W.
40.00 — Set g. Sec. post from which
a Hickory 8 in. dia. bears N 56 E 16 lks. dist,
& a W. Oak 30 " " " N 76 W 24 " "
57.16 — a W. Oak 30 " " — (= rapid
66.95 — a Brook 8 lks. wide ex. W. & N. W. clear &
68.80 — a R. Oak 15 in. dia.
80.00 — Set post cor. Secs. 32 & 33 from which
a W. Oak 12 in. dia. bears N. 6 E. 27 lks. dist,
& a B. Ash 11 " " " N 52½ W 74 " "
From 5 to 35 chs. level barrens wet clay
soil very thinly timbered - from 36 to 65 chs,
heavily timb. Oak Hickory Elm Ash &c,
from 66 chs. to end of line along brook,
Barrens on the S. Heavy timber on the N.

West — On South side of sec. 32,
.80 — a Brook 10 lks. wide ex. S.W.

T. 36 N. R. 6 W. 2nd P.M. Ind.a

10.56 Same brook 10 lks. wide en. N. W.
15.50 a W. Oak 18 in. dia.
19.57 a Stream 60 lks. wide en. N. (salt river.)
clear good current at E. bluffs.
31.00 Leave bottoms. timb.d How.
39.76 To a Brook 4 lks. wide en. N.E.
40.00 Set g.r. sec. corner. on a
B. ash 12 in. dia. en. tree
80.00 Set a post cor. sec.s 31 & 32 from which
a Br. Oak 18 in. dia. bears N 88 E 39 lks. dist.
& a " Do. 15 " " " N 63 E 42 lks. "
E. of Salt river rolling well timbered
with Oak. W. of river bottoms, level
clay barrens. wet thinly timb.d Oak.

West On South side of sec. 31
10.87 a Br. Oak 9 in. diam.
14.00 Enter a marsh
32.50 Leave the Do.
40.00 Set g.r. sec. post from which
a Br. Oak 13 in. dia. bears N 27 ½ E 280 lks. dist.
& a B. Oak 17 " " " N 84 ¼ W 123 " "
53.00 To a Dry prairie called, 20 mile prairie,
80.00 Intersect West boundary at 5 ch. 78 lks. 23 lks. set post
cor. Towns 35 & 36 N. Ranges 6 & 7 W.
where raise a Mound.
East of prairie clay wet barrens, very thinly
timbered. Hickory & Oak. prairie gently rolling
but wet. February 23.d 1834.
Surveyed by. Robert Clark. Jr. Dep. Sur.

East Boundary.

Var. 6.° 17' E.

South On E. side of sec. 1.
27.00 To a Brook 50 lks. wide en. N.N.W.
Stream shallow good current.

T. 36 N. R. 6 W. 2nd Mer. Ind.a

32.32 Set q.r. sec. post from which
a Y. Oak 7 in. dia. bears S 28 W 31 lks. dist.
& a Do. 30 " " " N 22½ W 76 " "
41.50 a W. Oak 14 " "
46.75 a Brook 4 lks. wide ex. E.
64.81 a W. Oak 15 in. dia.
72.32 Set post cor. sec. 1 & 12 from which
a W. Oak 18 in. dia. bears N 58 W 130 lks. dist.
& a Y. Oak 7 " " " S 77¾ W 103 " "
Land level. barrens 2nd. rate. clay soil
& timber W. & Y. Oak &c

South On E. side of sec. 12
17.94 a W. Oak 14 in. dia.
24.59 " " Do. 13 " "
25.00 Enter a marsh
32.30 Leave Do.
40.00 Set q.r. sec. post from which
a W. Oak 20 in. dia. bears N 67 W 85 lks. dist
& a " Do. 14 " " " S 85½ W. 69 " "
42.50 Enter a marsh
47.50 Leave Do.
51.30 a Y. Oak 16 in. dia. & Enter heavy timbr.
66.61 a W. Oak 40 " "
70.00 a Waggon road ex. S. by E.
80.00 Set post cor. sec. 12 & 13 from which
an Ironwood 7 in. dia. bears S 67 W 19 lks. dist.
& a Sugar 28 " " " N 60½ W 66 " "
S. 30 chs. rolling 1st rate timbd. land
Lynn. Oak. Sugar Poplar &c. Rem.r barrens.

South On E. side of sec. 13.
13.20 a Sugar 12 in. dia.
17.94 " Lynn 19 " "
40.00 Set q.r. sec. post from which
a R. Oak 18 in. dia. bears N 36 W 30 lks. dist.

T. 36 N. R. 6 W. 2nd P.M. Ind.

6. Lg. a B. Walnut 11 in. dia. bears S 42 W 6 lks. dist.
49.08 " W. Oak 18 in. diam.
58.38 " " Do. 16 " "
80.00 Set a post cor. sec. 13 & 24 from which
a W. Oak 11 in. dia. bears S 45 ½ W 24 lks. dist.
& a Beech 16 " " " N 23 W 26 " "
Land rolling & first rate & heavily timb.
Lynn Elm Ash. Oak Beech Walnut &
Hickory & Sugar —

South On E. side of sec. 24
8.40 a Brook 8 lks. wide ens. W.
18.38 a B. Oak 14 in. dia. —
19.00 Enter a small swamp
20.38 a Cottonwood 15 in. diam.
23.00 Leave the swamp
40.00 Set q. sec. post from which
a W. Ash 8 in. dia. bears S 34 ¾ W 32 lks. dist.
& a W. Oak 18 " " " N 23 W 30 " "
66.34 a Hickory 16 " "
80.00 Set a post cor. Sec. 24 & 25 from which
a B. Oak 20 in. dia. bears S 44 W 12 ½ lks. dist.
& Hickory — " " " N 84 W 160 " "
N ½ land & E. similar - S ½ rolling Oak & Hickory
barrens, good soil - thin timber. Indian fields
East of line,

South On East side of sec. 25
24.54 a Red Oak 16 in. dia.
40.00 Set q. sec. post from which
a R. Oak 16 in. dia. bears S 62 W 43 lks. dist.
& a W. Oak 40 " " " N 60 W 20 " "
52.39 a R. Oak 12 " "
88.78 " Hickory 6 " "
80.00 Set post cor. sec. 25 & 36 from which
a W. Oak 8 in. dia. bears S 48 ½ W 45 lks. dist.

T. 36 N. R. 6 W. 2nd. Mer. Ind.a

6. L. & a W. Oak 36 in. dia. bears N 55 W 76 lks. dist. Hilly Oak barrens. 3rd. rate, well timbered,

---

South 20.38 On East side of sec. 36
a B. Oak 16 in. diam.
36.00 Enter a pond
40.00 Cr. sec. cor. in pond,
50.00 Leave pond
60.00 To island of dry land
67.00 Leave Do.
80.00 Set post cor. Towns 35 & 36 N. Rs. 5 & 6 W.
a Red Oak 16 in. dia. bears N 57 ¼ W 254 lks. dist.
& a W. Oak 17 " " " S 27 ½ E 210 " "
Dry land similar to last. Swamp is chiefly a cranberry marsh with a few scattering Tamarac groves. February 13 & 14

North Boundary.

Var. 6.00 E.

West 6.32 On South side of Sec. 36 T. 37 N. R. 6 W.
a Brook 45 lks. wide ens. N. good water & brisk current - a good mill stream
18.32 a B. Oak 14 in. diam.
24.00 a level clay prairie
40.00 Set ¼ sec. post from which
a W. Oak 20 in. dia. bears S 20 W 744 lks. dist.
66.96 a B. Oak 10 " " & leave prairie
76.00 Enter a marshy pond
80.00 Set a post cor. sec. 35 & 36 in marsh water 1 ft. deep - from which post
a B. Oak 22 in. dia. bears S 20 ½ E 590 lks.
& a Hickory 12 " " " S 7 ¾ W 530 "
Except prairie land level clay barrens thinly timbered with W. & B. Oak. prairie level - clay soil, inclined to be wet

T. 36 N. R. 6 W. 2nd Mer. Ind.a

West	On South side sec. 35 T. 37 N. R. 6 W.
9.50	Leave pond
17.00	an Indian trail ex. N.W.
40.00	Set q.s. sec. post from which
	a Hickory 14 in. dia. bears N 7½ E 590 lks.
	& a Do. 12 " " " N 75 W 412 "
48.00	Enter a wet prairie,
80.00	Set a post cor. sec. 34 & 35 from which
	a W. Oak 7 in. dia. bears N ½ W 643 lks. dist.
	& a R. Oak 6 " " " N 86½ W 114 " "
	Land level thin clay soil - at this time
	mostly covered with water, very thinly
	timbered R. Oak & some Hickory.

West	On S. side of sec. 34 T. 37 N. R. 6 W.
3.00	Leave marsh
8.00	Enter a marsh
22.50	Leave Do.
36.37	a Br. Oak 8 in. diam.
40.00	Set q.s. sec. post from which
	a Hickory 13 in. dia. bears East 5 lks. dist.
	& a W. Oak 16 " " " N 15 W 19 "
76.41	a W. Oak 15 " "
80.00	Set post cor. sec. 33 & 34 from which
	a W. Oak 36 in. dia. bears N 2 E 32 lks. dist.
	& a Do. 16 " " " N 37 W 106 " "
	Land level & wet in places Br. W. Oak,

West	On S. side of sec. 33. T. 37 N. R. 6 W.
4.00	Enter a marsh
40.00	Set q.s. sec. post from which a
	R. Oak 16 in. dia. bears S. 89½ W 607 lks. dist.
	& a Do. 5 " " " N 48½ W 224 " "
50.00	Leave marsh
68.00	Enter a Do.
76.00	Leave Do.

T. 36 N. R. 6 W. 2nd P. Mer. Ind.a

77.71 a W. Oak 16 in. diam,
80.00 Set post cor. Sec. 32 & 33. from which
a W. Oak 13 in. dia. bears N 61 E 6.58 lks. dist,
& a R. Oak 12 " " " N 77 W 26 " "
Land level barrens & mostly a wet clay
soil. Thinly timbered with Oak.

West On South side of Sec. 32 T. 37 N. R. 6 W.
5.53 To an Indian trail ens. N. N. E.
39.03 a W. Oak 18 in. dia,
40.00 Set q. sec. post from which
a W. Oak 19 in. dia. bears N 51 E 31 lks. dist,
& a Do. 14 " " " N 50 W 39 " "
46.96 a W. Oak 16 " "
67.33 " Hickory 16 " "
76.50 Enter a marsh
80.00 Leave Do. & set post cor. Sec. 31 & 32 -
a W. Oak 16 in. dia. bears N 66 E 3.28 lks. dist
& a " Do. 15 " " " N 36 W 2.27 " "
Land &c. similar. more timber

West On South side of Sec. 31 T. 37 N. R. 6 W.
7.61 a W. Oak 17 in. diam,
12.50 To River bottoms - marshy prairie
24.89 " Salt river 60 lks. wide ens. N. Heavy marsh
34.19 " a W. Oak 15 in. dia,
40.00 Set q. sec. post from which
a Y. Oak 14 in. dia. bears N 83 E 6.47 lks. dist,
& a Do. 16 " " " N 18 W 52 " "
49.33 a Y. Oak 15 " "
66.32 an Oak 13 " "
80.64 Intersect W. boundary at 5.69.89 lks. m. chs.
where set post cor. Towns 36 & 37 N. Ranges
6 & 7 West. from which
a W. Oak 16 in. dia. bears N 41 E 6.96 lks. dist,
& a " Do. 17 " " " N 44 E 2.96 " "

T. 36 N. R. 6 W. 2nd Mer. Ind.a

C. L. E. of marsh & River similar to last W. of do, hilly sandy barren thin soil. W & y. Oak.
Feby. 28. 1834 - Surveyed by
Robert Clark Jr. Dep. Sur.

West Boundary.

Var. 7.00 E.

North 28.50 On E. side of sec. 36 T. 36 N. R. 7 W. to waggon road (old Sac. trail) from Detroit to Mississippi by Hickory creek Ill. S. W.
40.00 Set q.r. sec. post in prairie where raise a mound.
80.00 Set a post cor. sec.s 25 & 36 from which no bearings. Raise a mound!
Land rolling prairie good clay soil not in place but might easily be made dry enough for cultivation.

North 40.00 On E. side of sec. 25 T. 36 N. R. 7 W. Set q.r. sec. post in prairie where raise a mound
80.00 Set post cor. sec.s 24 & 25 in prairie where raise a mound
Land &c. similar to last mile.

North 40.00 On E. side of sec. 24 T. 36 N. R. 7 W. Set q.r. sec. post in prairie where raise a mound,
80.00 Set post cor. sec.s 13 & 24 in prairie a Bur. Oak 14 in. dia. bears S 88½ W 223 lks. dist, & a " Do. 14 " " " N 78 W 228 " "
Land &c. same as on last mile.

North 3.00 On E. side of sec. 13 T. 36 N. R. 6 W. Leave prairie & Enter timber timbered clay barren

T. 36 N. R. 6 W. 2nd P. Mer. Ind.a

8.18 a W. Oak 8 in. diam,
20.62 a W. Oak 30 " "
23.00 To a wet prairie, connected Easterly with the 20 mile prairie,
40.00 Set q. Sec. post from which a Y. Oak 16 in. dia. bears S 88¾ E 55 Lks, & Rais a small mound
57.00 Leave the prairie
80.00 Set post cor. Sec. 12 & 13 from which a R. Oak 20 in. dia. bears S 82¼ W 174 Lks dist, & a Y. Oak 20 " " " N 67 W 25 " "
Prairie too low for cultivation, might produce grass. North of prairie sandy poor Y Oak barrens & low places,

---

North On E side of Sec. 12 T. 36 N. R. 7 W.
11.50 Enter a marsh
26.00 Leave the Do.
26.66 a W. Oak 18 in. dia,
40.00 Set q. Sec. post from which a W. Oak 13 in. dia. bears S 88¾ W 186 Lks, & a Do. 14 " " " N 34 W 38 " dist,
46.00 Enter a marsh
61.50 Leave Do. & Rise high dry barrens
77.00 a Y. Oak 9 in. dia,
80.00 Set post cor. Sec. 1 & 12 from which a W. Oak 10 in. dia. bears S 3¼ W 69 Lks dist, & a Do. 11 " " " N 3 W 60 " "
Dry land poor sandy barrens very thinly timbered with Y. & W. Oak, marsh very low & poor cold soil. water knee deep. saw.

North On E. side of Sec. 1. T. 36 N. R. 6 W.
13.58 a Y. Oak 13 in. dia.
27.68 a " Do. 13 " "
40.00 Set q. Sec. post from which

T. 36 N. R. 6 W. 2nd. Mer. Ind.

Cor. S.	a Y. Oak 10 in. dia. bears S 39 W 27 lks. dist,
	& a Do. 11 " " " N 25 W 11 " "
69.89	To the Town corner, Ts. 36 & 37 N. Rs. 6 & 7 W.
	Land high, dry & sandy Oak barrens, thin
	soil well timbered, mostly Y. Oak.
	March 7th 1834. Rained hard in forenoon,
	Surveyed by —
	Robert Clark Jr. Dep. Sur.

Subdivisions.

North	Between sections 35 & 36 (V. 6° 17E.)
22.71	a W. Oak 16 in. diam.
40.00	Set q. sec. post from which
	a Y. Oak 20 in. dia. bears S 50 E 32 lks. dist,
	& a Bl. Walnut 6 " " " N 42 W 139 " "
57.75	a Brook 10 lks. wide en. N.W.
59.10	a B. Ash 18 in. diam.
80.00	Set a post on sec. 25. 26. 35 & 36 from wh.
	a Hickory 9 in. dia. bears S 38 E 10 lks. dist,
	& a Red Oak 30 " " " N 38 W 6 " "
	Land hilly soil & rate Oak land

East	On Random between sec. 25 & 36
	Var. 5° 25' E,
80.15	To E. boundary of sec. 34 lks. S. of post,
	Land &c. much same as before

West	Correct line between sec. 25 & 36
40.07	Set q. sec. post from which
	a Y. Oak 10 in. dia. bears S 66 E 5 lks. dist,
	& a Do. 10 " " " N 20 E 19 " "
80.15	To the sec. corner.

North	Between sections 25 & 26
20.54	a W. Oak 30 in. dia.
40.00	Set q. sec. post from which

T. 36 N. R. 6 W. 2nd Mer. Ind'a

	⌀ Red Oak 18 in. dia. bears S. 57 E. 7 lks. dist.
	& ⌀ W. Oak 20 " " " N. 82 W. 18 " "
57.05	To ⌀ W. Do 20 " "
58.50	To ⌀ Brook 4 lks. wide course West
74.00	To on Do 5 " " 10 do do
80.00	Set post cor. to Sec's. 23. 24. 25 & 26 from which
	⌀ W. Oak 10 in. dia. bears N. 39 W. 16 lks. dist.
	& ⌀ W. Do 18 " " " S. 76 E. 34 " "
	Land rolling & first rate Land Timber Oak.

East	On Random between Sec's. 24 & 25
33.50	To ⌀ Brook 4 lks. wide cs. West
80.03	To East Boundary of Sec. 38 lks. South of post
	Land &c. Same,

West	Correct line between Sec's. 24 & 25
40.01	Set q. Sec. post on true line from which
	⌀ Hickory 14 in. dia. bears S. 57 W. 48 lks. dist.
	& ⌀ W. Oak 12 " " " N. 58 W. 77 " "
80.01	Section Corner.

North	Between Sections 23 & 24
10.00	To heavy Timbered Land
24.00	To ⌀ Brook 5 lks. wide cs. N. W.
39.70	To ⌀ Do 10 do do " S. W.
40.00	Set q. Sec. post from which
	⌀ Aspin 9 in. dia. bears S. 34 W. 24 lks. dist.
	& ⌀ Do 9 " " " S. 66 W. 66 " "
55.35	To ⌀ W. Oak 12 in dia.
80.00	Set post cor. to Sec's. 13. 14. 23 & 24 from which
	⌀ Hickory 9 in. dia. bears S. 85 E. 32 lks. dist.
	& ⌀ Do 9 " " " S. 40 W. 16 " "
	Land rolling & 1st rate. Timber Oak Hickory & Ash
	Lynn Iron Wood Sugar Sassafras & Beech,

East	On Random between Sec's. 13 & 24

T. 36 N. R. 6 W. 2nd Mer. Indiana

42.50	To a Brook 6 lks. wide on S. W.
52.00	To " Do " " " " do
79.84	To East boundary of Sec. 1, 38 lks. South of post. Land &c. Same

---

West	Correct line between Secs. 13 & 24
39.92	Set Pr. Sec. post on true line from which a Hickory 10 in. dia. bears S. 63 E. 25 lks. dist. & a W. Oak 8 " " " S. 49 W. 26 " "
79.84	Section Corner,

North	Between Sections 13 & 14
24.05	To an Aspin 18 in. dia.
40.00	Set qr. Sec. post from which an Aspin 14 in. dia. bears S. 17 E. 14 lks. dist. & a Do 18 " " " S. 35½ E. 150 " "
45.00	Enter Oak Land.
67.64	To a W. Oak 30 in. dia.
80.00	Set post Cor. to Secs. 11, 12, 13, & 14 from which a W. Oak 8 in. dia. bears N. 84 E. 5 lks. dist. & a Do 6 " " " S. 60 W. 7 " " Land &c. Same

---

East	On Random between Secs. 12 & 13
8.00	Enter Marsh
30.30	Leave Do at a Lake, & found distance a crop by Traverse. S. 10 E. 4.00 East 15.00 N. 10 E. 4.00 for corr. to line on E. side of Lake
46.66	East Side of Lake
67.00	Enter Willow Swamps
76.00	Leave Do Do
79.55	To East Boundary of Sec. 38 lks South of post Land &c. Same, Some Marshy about Lake

---

West	Correct line between Secs. 12 & 13
32.87	Set post on E. Margin of Lake, from which

T. 36 N. — R. 6 W. 2nd Mer. Indiana.

@ W. Oak 14 in. dia, bears N. 88 E. 702 lks. dist
& @ Do 12 " " " S. 87½ E. 690 " "
40.00 gr. Sec. Cor in Lake
49.25 Set post on West Side of Lake from which
@ W. Oak 18 in. dia, bears N. 42½ W. 552 lks. dist,
79.55 Section Corner, March 18, 1834.

North Between Sections 11 & 12
14.00 Enter marsh
24.00 Leave Do
40.00 Set qr. Sec. post from which
@ Maple 6 in. dia, bears N. 4 W. 35 lks. dist,
& @ W. Ash 9 " " " N. 83 W. 10 " "
55.81 To @ W. Oak 30 " " "
56.00 Enter Wet prairie
72.00 Leave Do Do
80.00 Set post Cor. to Sec 1. 2. 11 & 12 from which
@ W. Oak 10 in. dia, bears S. 22 W. 85 lks. dist,
& @ W. Oak 24 " " " S. 45 E. 129 " "
Land gently rolling & 2nd rate. Timber Oak, Hickory
Maple Ash &c.

East On Random between Sec 1 & 12
43.00 Enter Swamp
52.00 Leave Do,
79.39 To East Boundary of Sec. 24 lks. South of post
Land &c. much the Same

West Correct line between Sec 1 & 12
39.69 Set qr. Sec. post on true line from which
@ Sapapas 6 in. dia, bears S. 76 E. 21 lks dist,
& @ Do 9 " " " S. 7 W. 21 " "
79.39 Section Corner, March 11, 1834.

North Between Sections 1 & 2
17.00 Enter Pine Swamp.

T. 36 N. — R. 6 W. 2nd. Mer. Indiana,

40.00	Set qr. Sec. post from which
	@ pine 3 in. dia. bears S. 57 E. 45 lks. dist.
	& @ Do 7 " " " N. 21 E. 76 " "
58.50	Leave Swamp
72.22	To North Boundary of Sec. 45 lks. East of post
	when Set post Cor. to Secs. 1 & 2 from which
	@ Hickory 15 in. dia. bears S. 13 W. 5.31 lks. dist.
	& @ W. Oak 20 " " " S. 16 E. 5.74 " "
	Land North of Swamp level & good. Timber chiefly
	with Oak & Hickory. March 12, 1834,

North	Between Sections 34 & 35
29.97	To @ W. Oak 12 in. dia,
40.00	Set qr. Sec. post from which
	@ W. Oak 10 in. dia. bears S. 8½ E. 121 lks. dist.
	& @ Do 10 " " " S. 83½ W. 147 " "
60.00	To heavy Timbered land
64.00	To a Brook 3 lks. wide crs. N. W.
72.00	To @ W. Oak 30 in. dia,
80.00	Set post Cor. to Secs. 26, 27, 34 & 35 from which
	@ B. Walnut 9 in. dia, bears S. 5 E. 3 lks. dist.
	& @ Red Oak 12 " " " N. 10 W. 25 " "
	Land rolling, Soil good, Timber Oak Ash. Hic-
	kory & some Sycamore,

East	On Random between Secs. 26 & 35
10.25	To @ Brook 6 lks. wide crs. N. W.
13.50	To @ Do 8 " " crs. North
20.00	To Oak Land
81.13	To East Boundary of Sec. 36 lks. N. of post
	Land &c. same

West	Correct line between Secs. 26 & 35
40.06	Set qr. Sec. post on true line, from which
	@ B. Oak 18 in. dia. bears N. 70 E. 34 lks. dist.
	& @ W. Oak 18 " " " S. 13 E. 44 " "

T. 36 N. R. 6 W. 2nd Mer. Indiana.

80.13 Section Corner

North Between Sections 26 & 27
3.00 To a Brook 8 lks wide crs. N. W.
18.75 To a W. Oak 30 in. dia.
40.00 Set qr. Sec. post from which
a Hickory 12 in. dia. bears N. 58 E. 8 lks. dist.
& a Do 7 " " " S. 20 W. 24 " "
56.13 To a Symo 20 " "
70.00 To Oak Land
76.19 To a W. Oak 10 in. dia.
80.00 Set post cor. to Sec. 22. 23. 26 & 27 from which
a W. Oak 10 in. dia. bears N. 85 E. 28 lks. dist.
& a Do 9 " " " - 2 E 22 " "
Land & c much the same.

East On Random between Sec. 23 & 26
53.50 To a Brook 8 lks wide crs. N. W.
64.00 To a Do 6 " " crs N. W.
80.22 To East Boundary of Sec. 23 lks. N. of post
Land rolling & 1st rate Timber Oak & Hickory

West Correct line between Sec. 23 & 26
40.11 Set qr. Sec. post from which
an Ironwood 6 in. dia. bears S. 54 E. 43 lks. dist.
& a W. Oak 10 " " " N. 74 W. 46 " "
80.22 Section Corner,

North Between Sections 22 & 23
14.99 To a W. Oak 20 in. dia.
18.00 Enter Marsh
31.50 Leave Do
40.00 Set qr. Sec. post from which
a Hickory 10 in. dia. bears N. 55 W. 50 lks. dist.
& a W. Oak 20 " " " S. 65 E. 128 " "
55.25 To a Brook 15 lks wide crs. N. W.

T. 36 N. — R. 6 W. 2nd Mer. Indiana.

80.00	Set post cor. to Secs. 14, 15, 22 & 23 from which @ W. Oak 10 in. dia. bears N. 21 W. 102 lks. dist. & @ Do 18 " " " N. 32½ W. 109 " " Land & C. Same,
East	On Random between Secs. 14 & 23
47.00	To land thickly timbered
80.08	To East Boundary of Sec. 3 lks N. of post Land rolling & 1st rate. Timber Oak. Hickory Ash. Elm., Lynn & B. Walnut, wet in places
West	Corrected line between Secs. 14 & 23
40.04	Set qr. Sec. post from which @ Hickory 9 in. dia. bears N. 24½ E. 10 lks. dist. & @ Do 10 " " " S. 46 E. 26 " "
80.08	Section Corner,
North	Between Sections 14 & 15
17.56	To @ W. Oak 28 in. dia,
40.00	Set qr. Sec. post from which @ W. Oak 12 in. dia, bears S. 13 E. 42 lks. dist. & @ Do 18 " " " S. 84 W. 21 " "
57.84	To @ Do 18 " "
80.00	Set post cor. to Secs. 10, 11, 14 & 15 from which @ Hickory 13 in. dia. bears N. 22½ E. 81 lks. dist. & @ Do 13 " " " S. 22½ W. 8 " " Land & C. 1st. rate, Timber Oak & Hickory
East	On Random between Secs. 11 & 14
79.94	To East Boundary of Sec. 2 lks. South of post Land & C. Same
West	Corrected line between Secs. 11 & 14
39.99	Set qr. Sec. post from which @ Br. Oak 18 in. dia. bears S. 77 E. 331 lks. dist. & @ W. Oak 20 " " " S. 18 W. 287 " "

T. 36 N. — R. 6 W. 2nd Mer. Indiana,

79.94 Section Corner, March 11th 1834

North Between Sections 10 & 11
7.00 Enter prairie
18.00 Enter marsh
30.00 Leave Do
40.00 Set g't Sec. post from which
@ Br. Oak 10 in. dia. bears S. 60 W. 29 lks dist.
& @ W. Oak 20 " " " S. 52 E. 50 " "
48.00 Enter marsh
55.00 Enter Pine Swamp
79.00 Leave Do Do
80.00 Set post cor. to Sec's 2, 3 10 & 11 from which
@ W. Oak 20 in. dia. bears N. 66 E. 47 lks dist.
& @ Hickory 10 " " " S. 3 E. 24 " "
Land flat & swampy, Soil poor. Oak & pine

East On Random between Sec's 2 & 11
59.00 Enter marsh
71.00 Leave Do
79.53 To East Boundary of Sec. 40 lks S. of post,
Land flat & poor scatting oak,

West Correct line between Sec's 2 & 11
39.76 Set g't Sec. post from which
@ W. Oak 12 in. dia. bears S. 22 E. 2.08 lks. dist.
& @ Do 18 " " " S. 70 E. 2.06 " "
79.53 Section Corner.

North Between Sections 2 & 3
5.00 Enter flat prairie
40.00 Set g't Sec. post from which
@ Br. Oak 10 in. dia. bears N. 72 E. 2.91 lks dist.
& @ Do Do 10 " " " N. 45 E. 2.75 " "
71.38 Intersect N. Boundary 86 lks. East of post
where Set post cor. to Sec's 2 & 3 from which

T. 36 N. — R. 6 W. 2nd Mer. Indiana,

6, Lks,	a G. Oak 7 in. dia. bears N. 87 W. 199 lks. dist
	" a W. Oak 20 " " " " S. 78 W. 393 " "
	Land level and 1st rate, Scattering, Oak,

North	Between Sections 33 & 34
3.80	To a Brook 3 lks wide course N. W.
16.69	To a Red oak 12 in. dia,
11.60	To a Brook 4 lks wide course N. W.
32.63	To a Sugar Tree 10 in. dia,
38.80	To a Brook 4 lks, wide course N. W.
40.00	Set qr. Sec. post from which
	a W. Ash 9 in. dia, bear S. 80 W. 24 lks. dist
	& a B. Ash 10 " " " N. 54 W. 26 " "
52.26	To a Sugar Tree 18 " "
71.75	To a Red Oak 18 " "
80.00	Set post Cor. to Sec. 27, 28, 33 & 34 from which
	a W. Oak 18 in. dia. bears N. 54 E. 55 lks. dist
	" a Do 30 " " " S. 75 W. 31 " "
	Land level, Soil good, Timber Oak, Hickory, Ash
	Elm Sugar Lyn &c,

East	On Random between Sec. 27 & 34
33.50	To a Brook 3 lks. wide Crs. N. W.
59.00	To a Do 4 " " Crs. N. W.
68.00	To a Do 3 " " Crs N. W.
79.73	Intersect East Boundary of Sec. 3 lks South of post
	Land &c. much as before,

West	Corrct line between Sec. 27 & 34
39.86	Set qr. Sec. post from which
	a Sugar 9 in. dia. bears N. 78 W. 88 lks. dist
	& a W. Oak 10 " " " S. 65 E. 20 " "
79.73	Section Corner,

North	Between Sections 27 & 28
20.75	To a Y Oak 24 in. diam.

T. 36 N. — R. 6 W. 2nd Mer. Indiana,

10.00	Set g. Sec. post from which
	a Ironwood 6 in. dia. bears S. 5 E. 22 lks. dist.
	& a Do 6 " " " N. 5 W. 4 " "
57.00	To a Brook 15 lks. wide course S. W.
59.00	To Oak Land
72.62	To a W. oak 10 in. dia,
81.11	Set post cor. to Sec. 21, 22, 27 & 28 from which
	a W. Oak 10 in. dia. bears N. 79 E. 7 lks. dist.
	& a Do 10 " " " S. 39 W. 16 " "
	Land gently rolling, Timber Oak, Ironwood Elm
	Sugar &c,

East	On Random between Sec. 22 & 27.
79.94	Intersect East Boundary of Sec. 15 lks S. of post,
	Land level and 1st rate Timber W. Br. & Y. Oak,

West	Correct line between Sec. 22 & 27
39.99	Set Q. Sec. post from which
	a Br. Oak 12 in. dia. bears N. 78 E. 45 lks. dist.
	& a Y. Oak 14 " " " S. 48 W. 28 " "
79.94	Section corner,

North	Between Sections 21 & 22
28.60	To a Y. Oak 20 in. dia,
40.00	Set Q. Sec. post from which
	a W. Oak 18 in. dia. bears S. 49 E. 79 lks. dist.
	& a Y. Oak 20 " " " N. 26 E. 78 " "
55.60	To a Brook 20 lks. wide course West,
60.99	To a Y. Oak 20 in. dia,
80.00	Set post cor. to Sec. 15. 16. 21 & 22 from which
	a W. Oak 18 in. dia. bears N. 7 E. 45 lks. dist.
	& a Do 18 " " " N. 40 E. 50 " "
	Land &c. much as before,

East	On Random between Sec. 15 & 22.
56.00	To a Muddy Stream 10 lks wide cs. South,

T. 36 N. — R. 6 W. 2nd Mer. Indiana.

79.68	Intersect East Boundary of Sec. 13 Chs South of post
	Land level & first rate Timber Oak,

West	Corrected line between Secs. 15 & 22
39.84	Set gr. Sec. post from which
	a W. Oak 40 in. dia. bears S. 42 W. 34 lks. dist.
	& a Do 20 " " " N. 56 W. 47 " "
79.68	Section Corner,

North	Between Sections 15 & 16
13.40	To a Bx. Oak 12 in. dia,
40.00	Set Pr. Sec. post from which
	a W. Oak 12 in. dia. bears N. 15 E. 370 lks. dist.
	& a Do 20 " " " N 7½ W. 372 " "
63.00	Enter Wet prairie
80.00	Set post Cor. to Secs. 9, 10, 15 & 16 from which
	a W. Oak 3 in. dia. bears South 506 lks. dist.
	& a Bx. Oak 6 " " " N. 86 E. 434 " "
	Land level and 2nd rate Timber Oak

East	On Random between Secs. 10 & 15
50.00	Leave wet prairie
55.00	Enter Marsh
70.00	Leave Do
79.66	Intersect East Boundary of Sec. 8 Chs S. of post,
	Land level & 3rd rate Timber Oak,

West	Corrected line between Secs. 10 & 15
39.83	Set Pr. Sec. post from which
	a Bx. Oak. 18 in. dia. bears S. 41 E. 510 lks. dist.
	No other,
79.66	Section Corner, March 13th 1834,

North	Between Sections 9 & 10
16.00	Leave wet prairie,
40.00	Set Pr. Sec. post from which

T. 36 N. R. 6 W. 2nd Mer. Indiana.

C. Lks. @ W. Oak 9 in. dia. bears S. 81 E. 17 lks. dist.
" @ Do 8 " " " S. 86 W. 118 " "
64.99 To @ Do 9 " "
80.00 Set post cor. to Secs. 3, 4, 9 & 10 from which
@ W. Oak 8 in. dia. bears N. 17 E. 51 lks. dist.
" @ Do 6 " " " S. 10 E. 99 " "
Sand level and 2nd rate. Timber Oak,

East On Random between Secs. 3 & 10
79.62 Intersect East Boundary of Sec. 30 lks. S. of post
Sand &c. much the same

West Course line between Secs. 3 & 10
39.51 Set qr. Sec. post from which
@ Hickory 10 in. dia. bears N. 29 E. 2.66 lks. dist.
No other,
79.62 Section Corner, March 12, 1834,

North Between Sections 3 & 4
16.00 Enter Marsh
40.00 Set qr. Sec. post from which
@ W. Oak 20 in. dia. bears N. 30 E. 10 lks. dist.
" @ Do 30 " " " North 461 " "
41.00 Leave Marsh
71.41 Intersect N. Boundary of Sec. 1.60 lks. E. of post
Where set post cor. to Secs. 3 & 4 from which
@ W. Oak 12 in. dia. bears S. 68 W. 17 lks. dist.
" @ Do 10 " " " S. 19 E. 44 " "
Land low & flat. Soil 2nd rate Timber Oak,
March 14th 1834,

North Between Sections 32 & 33
1.00 To a Brook 4 lks wide cs. N. W.
17.62 To @ Hickory 20 in. dia.
40.00 Qr. Sec. cor. in a Brook 15 lks. wide cs.
N. W. from which

T. 36 N. — R. 6 W. 2nd Mer. Indiana.

C. Lks	@ Sugar Tree 12 in. dia. bears S. 21 E. 36 lks. dist.
	& @ Do Do 10 " " " S. 53½ W. 34 " "
54.22	To @ W. Oak 28 " "
75.30	To Salt Creek 50 lks wide cr. N. E.
80.00	Set post cor. to Secs. 28. 29. 32 & 33 from which
	@ B. Ash 18 in. dia. bears S. 72 W. 16 lks. dist.
	& @ Butternut 6 " " " N. 23 W. 23 " "
	Land rolling & first rate. Oak. Ash. Sugar,
	Elm, Lynn, & Ironwood, Some undergrowth;

East	On Random between Secs. 28 & 33
6.85	To Salt Creek, 50 lks wide cr. North
79.92	Intersect East Boundary of Sec. 45 lks. S. of post.
	Land &c. much the Same,

West	Correct line between Secs. 28 & 33
39.96	Set qr. Sec. post from which
	@ Sugar 9 in. dia. bears N. 3 W. 17 lks. dist.
	& @ Beech 8 " " " S. 87 E. 25 " "
79.92	Section Corner,

North	Between Sections 28 & 29
10.00	To Oak Land
28.02	To a B. Oak 20 in. dia.
40.00	Set qr. Sec. post from which
	@ W. Ash 10 in. dia. bears N. 27 W. 25 lks. dist.
	& @ W. Oak 20 " " " S. 15 W. 12 " "
48.30	To a Do 30 " "
69.76	To @ Do 22 " "
80.00	Set post cor. to Secs. 20. 21. 28. 29 from which
	@ Hickory 12 in. dia. bears S. 55 E. 73 lks. dist.
	& @ Do 12 " " " N. 86 W. 29 " "
	Land Gently rolling, Soil good. Timber
	Mostly oak & Hickory

East	On Random between Secs. 21 & 28

T. 36 N. — R. 6 W. 2nd Mer. Indiana.

11.75 To Salt Creek 50 lks. wide crs. North,
79.84 Intersect East Boundary of Sec. 52 lks. S. of post,
Land rolling & 1st rate, Timber Oak, Hickory
Ash, Elm, Sugar & C,

West Cor. of line between Secs. 21 & 28
40.00 Set gr. Sec. post from which
a W. Oak 18 in. dia. bears S. 70 W. 47 lks. dist.
& a " Do 10 " " " N. 80 W. 49 " "
79.84 Section Corner,

North Between Sections 20 & 21
40.01 Set gr. Sec. post from which
a Br. Oak 10 in. dia. bears S. 25 W. 53 lks. dist.
& a Do. Do. 20 " " " S. 41 E. 82 " "
74.50 To Salt Creek 50 lks. wide crs. N. W.
78.50 To a Bend in creek crs. N. W.
80.00 Cr. to Secs. 16, 17, 20 & 21 in Creek from which
a W. Oak bears N. 36 E. 74 lks. dist.
Land level & 1st rate, thinly Timbered with Oak,

East On Random between Secs. 16 & 21
79.94 Intersect East Boundary of Sec. 68 lks. S. of post,
Land level and 1st rate Timber Oak,

West Cor. of line between Secs. 16 & 21
39.97 Set gr. Sec. post from which
a W. Oak 12 in. dia. bears S. 81 W. 74 lks. dist.
& a " Do 20 " " " S. 50 W. 90 " "
79.97 Section Corner,

North Between Sections 16 & 17
25.38 To a G. Oak 10 in. dia,
40.00 Set gr. Sec. post from which
a W. Oak 10 in. dia. bears S. 35 E. 75 lks. dist.
& a " Do 24 " " " N. 69 W. 44 " "

T. 36 N.— R. 6 W. 2nd Mer. Indiana,

40.20	To a W. Oak 10 in. dia,
80.00	Set post Cor. to Sec. 8, 9, 16 & 17 from which
	a W. Oak 10 in. dia. bears S. 82 E. 25 lks. dist.
	& a Do 10 " " " N. 65 W. 25 " "
	Land level & first rate, Timber Oak,

East	On Random between Secs. 9 & 16
37.00	Enter Wet prairie
79.53	Intersect East Boundary of Sec. 60 lks. S. of post,
	Land level & good to wet prairie, Timber Oak
	Wet prairie Second rate,

West	Correct line between Secs. 9 & 16
39.76	Set qr. Sec. post from which
	a W. Oak 9 in. dia. bears N. 50 E. 297 lks. dist.
	& a Do 10 " " " S. 45 E. 330 " "
79.53	Section Corner,

North	Between Sections 8 & 9
19.80	To a W. Oak 24 in. dia,
40.00	Set qr. Sec. post from which
	a W. Oak 18 in. dia bears S. 36½ W. 25 lks. dist.
	& a W. Oak 6 " " " N. 29 W. 41 " "
59.24	To a W. Oak 12 " "
80.00	Set post Cor. to Secs. 4, 5, 8 & 9 from which
	a W. Oak 6 in. dia bears N. 30 W. 120 lks. dist.
	& a W. Do 6 " " " N. 2½ W. 2.82 " "
	Land level & 2nd rate, thinly Timbered with Oak,

Surveyed this 3rd Line in Clinton County Indiana, in 3-1880 by Sam Neff

---

East	On Random between Secs. 4 & 9
23.00	Enter Marsh Water 2 feet deep
64.00	Leave Do
79.96	Intersect East Boundary of Sec. 86 lks. S. of post,
	Land flat & Mostly Marsh, Soil poor, Timber Oak,

West	Correct line between Secs. 4 & 9

T. 36 N. — R. 6 W. 2nd P.M. Ind.a,

39.98 Set gr. Sec. post, no mound nor trees, water deep,
79.96 Section Corner,

North Between Sections 4 & 5
40.00 Set gr. Sec. post from which
@ E. Oak 18 in. dia, bears S. 45 W. 2.02 lks. dist.
& @ W. Oak 18 " " " N. 23 W. 2.52 " "
71.48 Intersect North Boundary line. 184 lks E. of post.
where set post cor. to Secs. 4 & 5 from which
@ W. Oak 16 in. dia, bears S. 11 W. 53 lks. dist.
& @ Do 18 " " " S. 79 E. 60 " "
Land flat & 2nd rate. Everything timbered with oak
March 15th 1834.

North Between Sections 31 & 32
17.89 To @ Br. Oak 18 in. diam.
40.00 Set gr. Sec. post from which
@ Br. Oak 8 in. dia, bears S. 34 W. 144 lks. dist
& @ Do 6 " " " S. 34 E. 178 " "
47.44 To @ W. Oak 20 " "
51.00 To @ Brook 6 lks. wide cs. N. E.
59.00 To @ Do 3 " " " N. E.
80.00 Set post cor. to Secs. 29. 30. 31 & 32 from which
@ W. Ash 10 in. dia, bears S. 7 E. 22 lks. dist.
& @ B. Ash 10 " " " N. 15 E. 11 " "
Land level & 1st rate. Timber Oak, Ash & Gum,

East On Random Between Secs. 29 & 32
75.00 To Salt creek 50 lks. wide cs. N. E.
77.20 To Do Do " " " S. E.
80.00 Intersect East Boundary of Sec. 32 lks S. of post.
Land gently rolling & 1st rate. Timber as the last mile,

West Corrected line between Secs. 29 & 32
40.01 Set gr. Sec. post from which
@ W. Oak 10 in. dia, bears N. 84 W. 17 lks. dist.

T. 36 N. — R. 6 W. 2nd P.M. Indiana,

6/Lks,	@ W. Oak 9 in. dia, bears N. 16½ E. 12 lks. dist.
80.03	Section Corner,

West	on Random between Sec. 30 & 31
20.00	Enter dry prairie
81.27	Intersect West Boundary Line 15 lks. N. of post. Land gently rolling & 1st rate. Timber East of Prairie Same as last mile

---

East	Corner line between Sec. 30 & 31
41.27	Set gr. Sec. post, when raise a mound,
81.27	Section Corner,

North	Between Sections 29 & 30
15.00	Enter a dry Prairie
25.00	To a Road course S. W.
40.00	Set gr. Sec. post from which
	@ Br. Oak 10 in. dia. bears N. 74½ E. 4.97 lks. dist.
	& @ Do Do 6 " " " N. 71¾ E. 4.48 " "
80.00	Set post cor. to Sec. 19. 20, 29 & 30. where raise a mound, Land Same,

---

East	on Random between Sec. 20 & 29
29.00	Leave prairie
38.50	To a Brook 4 lks. wide course North,
65.00	To a Road course South West
79.48	Intersect East Boundary of Sec. 18 lks. South of post, Land level & 1st rate, Scattering Oak East of prairie

---

West	Corner line between Sec. 20 & 29
39.74	Set gr. Sec. post from which
	@ W. Oak 12 in. dia. bears N. 81 W. 4 lks. dist.
	& @ Do 10 " " " S. 7½ E. 25 " "
79.48	Section Corner,

West	on Random between Sec. 19 & 30
81.94	Intersect West Boundary at post,

T. 36 N. — R. 6 W. 2nd Mer. Indiana,

6 Lks. Land rolling & first rate dry prairie

East — Corner line between Secs. 19 & 30
41.94 — Set gr. Sec. post when raise a mound
81.94 — Section Corner,

North — Between Sections 19 & 20
40.00 — Set gr. Sec. post when raise a mound
80.00 — Set post Cor. to Secs. 17, 18, 19 & 20 & raise Mound
Land the Same,

East — On Random between Secs. 17 & 20
21.50 — To a Brook 5 Lks wide ens. North;
30.00 — Leave prairie
70.00 — To Salt Creek 50 Lks. wide ens. North
76.00 — To Do Do " S. W.
79.96 — Intersect East Boundary of Sec. 12 Lks. South of
Corner in Creek,
Land level & 1st rate, timber Oak & some Hickory,

West — Corner line between Secs. 17 & 20
39.98 — Set gr. Sec. post from which
a G. Oak 20 in. dia. bears N. 10½ W. 60 Lks. dist.
& a Do 18 " " " S. 17 E. 18 " "
79.96 — Section Corner,

West — on Random between Secs. 18 & 19
82.50 — Intersect West Boundary line 37 Lks S. of post
Land rolling 1st rate dry prairie

East — Corner line between Secs. 18 & 19
42.50 — Set gr. Sec. post when raise a Mound,
82.50 — Section Corner,

North — Between Sections 17 & 18
40.00 — Set gr. Sec. post when raise a Mound

T. 36 N., — R. 6 W. 2nd Mer. Indiana.

80.00 Set post Cor. to Secs. 7, 8, 17 & 18 + Leave prairie, from which
a W. Oak 20 in. dia. bears S. 87½ W. 41 lks. dist.
& a Bx. Oak 4 " " " N. 29 E. 85 " "
Land Same,

East On Random between Secs. 8 & 17
18.00 Enter marsh
31.50 To Salt Creek 50 lks. wide crs. North
42.00 Leave marsh
50.42 Intersect East Boundary of Sec. 27 lks. S. of post
Land level & good (marsh excepted) Timber Oak,

West Correct line between Secs. 8 & 17
40.21 Set qr. Sec. post from which
a W. Oak 9 in. dia. bears S. 74 E. 51 lks. dist.
& a " Do. 20 " " " N. 79 E. 80 " "
80.42 Section Corner,

West On Random between Secs. 7 & 18
51.00 To a Brook 5 lks. wide crs. N. E.
82.56 Intersect West Boundary line 15 lks S. of post
Land level & 1st rate, thinly Timbered with Oak,

East Correct line between Secs. 7 & 18
42.56 Set qr. Sec. post from which
a W. Oak 12 in. dia bears S. 28 E. 17 lks. dist.
& a Y. Oak 18 " " " N. 76½ E. 20 " "
80.56 Section Corner. March 14th 1834,

North Between Sections 7 & 8
40.00 Set qr. Sec. post from which
a Bx. Oak 10 in. dia. bears South 98 lks. dist.
& a Do 4 " " " N. 59 W. 50 " "
72.00 To Salt Creek 60 lks. wide Course N. W.
76.00 To do do Course N. E,
78.50 To do do Course N. W.

T. 36 N. — R. 6 W. 2nd Mer. Indiana.

80.00 Set post cor. to Sec. 5. 6. 7 & 8 from which
⊕ W. Oak 12 in. dia bears S. 51 ÷ E. 295 lks. dist.
& ⊕ Do 18 " " " East 459 " "
Land level & 1st rate. Timber Mostly Small Burr. Oak,

East On Random between Sec. 5 & 8
80.50 Intersect East Boundary of Sec. 5 & lks. S. of post,
Land level & good, Timber W. & Br. Oak,

West Correct line between Sec. 5 & 8
40.25 Set qr. Sec. post from which
⊕ W. Oak 18 in. dia bears N. 40 E. 16 lks. dist.
& ⊕ Do 12 " " " S. 40 W. 21½ " "
80.50 Section Corner

West on Random between Sec. 6 & 7
.60 To Salt Creek 50 lks. wide course North,
83.00 Intersect West Boundary line 48 lks. S. of post,
Land rolling & 3rd rate Timber Mostly Y. Oak.

East Correct line between Sec. 6 & 7
43.00 Set qr. Sec. post from which
⊕ Y. Oak 24 in. dia. bears S. 30 E. 84 lks. dist.
& ⊕ Do 20 " " " S. 21½ W. 152 " "
83.00 Section Corner,

North Between Sections 5 & 6
6.50 To Salt Creek 60 lks. wide course N. E,
10.00 To do do do N. W.
20.00 To do do do N. E,
28.00 To do do do N. W,
40.00 Set qr. Sec. post from which
⊕ Br. Oak 9 in. dia. bears S. 51 E. 60 lks. dist.
& ⊕ W. Oak 30 " " " N. 61 W. 28 " "
54.82 To ⊕ Do 10 " "
57.00 To ⊕ Brook 5 lks. wide coursd N. W.

T. 36 N. — R. 6 W. 2nd Mer. Indiana,

70.95	Intersect North Boundary line 165 lks E. of post where set post cor. to Secs. 5 & 6 from which B. W. Oak 20 in. dia, bears S. 19 W. 1.42 lks. dist. " " Do 12 " " " S. 2 E. 2.09 " " Land level & 2nd rate Timber Oak, March 15th 1834,

Meanders of North part of Lake in Sec. 36
Began at post in Town line South Boundary,
on West Side of Lake

Course	G. Lks.	
North	18.00	In Sec. 36
N. 14 E.	14.00	
N. 48 E.	8.50	
S. 72 E.	7.00	
S. 35 E.	5.00	
South	11.00	
S. 35 W.	19.00	
S. 18 W.	4.59	To post in Town line East Side of Lake

Meanders of Lake in Secs. 12 & 13, began at post on West Side line between Secs. 12 & 13

S. 10 E.	4.00	In Sec. 13
East	15.00	
N. 10 E.	4.00	To post on East Side 12 & 13
N. 40 E.	14.00	In Sec. 12
N. 52½ W.	8.50	
S. 53 W.	22.00	
S. 20 W.	2.75	To place of begining, Land marshy around Lake, Timber Oak, Sugar &c,

202

T. 36 N. — R. 6 W. 2nd Mer. Indiana,

I hereby Certify that in pursuance of a Contract with M. T. Williams, Surveyor General of the United States, for the State of Ohio Indiana and the Territory of Michigan, bearing date July 1st 1833 and in Strict Conformity to the Laws of the United States & the instructions of said Surveyor General, I have Surveyed & Subdivided into Sections Township 36 N. of R. 6 W. 2nd Mer. State of Indiana, I do further Certify that the foregoing are the true & original field notes of the said Survey & Subdivision. Executed as aforesaid, Certified this 12th day of May 1834 at Cincinnati,

Sylvester Sibley, Dep. Sur,

Jno. Hodgson, Peter T. Galloway } Chainmen
Wm. Howard } Marker

I Certify that the foregoing transcript of field notes of Township 36 North Range 6 West has been Compared with the original field notes in this office and found to be Correct

William Johnston
Sur. Gen.l

Surveyor Generals office
Cincinnati. Dec.r 30th — 1843